CAT 5e U/UTP LAN CABLES

Category 5e U/UTP 100MHz LAN Cables

Canovate CAT 5e U/UTP LAN Data Cable is an enhanced performance cable used for transmission of high speed data, digital and analogue voice and video RGB signals on LANs. It supports gigabit ethernet (1000 baseT) standard and operates at bandwidths up to 100 MHZ.

Product Application

- 10 Base T (IEEE 802.3)
- 100 Base T (IEEE 802.3U)
- 100 Vg-Any LAN (IEEE 802.12)
- Token ring (IEEE 805.5)
- TP-PMD (ANSI X3T9.5)
- 100 Mbps CDDI
- ATM 155
- 1000 BASE-T gigabyte ethernet

Product Benefits

The cable supports gigabit ethernet protocol for installation in horizontal and backbone applications.

Mechanical and Environmental Properties

Maximum tensile load	10 kg per simplex cable (installation)
Minimum bend radius	8x outer diameter (installation) 4x outer diameter (operation)
Temperature	0°C to +50°C (installation) -10°C to +60°C (operation)



Electrical Properties (At 20°C)

Electrical Characteristics@ 20°C	Specifications	Typical Performance
Conductor loop resistance	Max. 19.0 / 100m	18.0/ 100m
Conductor resistance unbalance	Max. 2%	1.5%
Dielectric strength	1.0kV de or 0.7kV ac for 1 min	100% in process test
Insulation resistance	500M .km @ U 100-500 V test voltage	5G Qkm
Capacitance unbalance to earth	Max. 330 pF/100m	200 pF/100m
Velocity of propagation	<538 nsec/100m@ 100MHz	496 nsec/100m @ 100MHz (NVP for hand held testers = 0.69)
Skew	Max. 45 nsec/100m@ 100MHz	25 nsec/100m@ 100MHz
Characteristic impedance	100.0 +/- 15.0@ 100MHz	100.0 +/- 10.0@ 100MHz
Mutual capacitance	5.6nF/ 100m	5.6nF/ 100m


Order Information

Туре	
Cat.5e UTP Cable LSZH FR (Grey), 305m Reel	



Cable Construction





Manufacturing Process

Canovate controls every stage of the manufacturing process so that quality is built in to every meter of cable, rather than selected out at the end through testing. To ensure the accuracy and precision of the manufacturing process, Canovate routinely calibrates and recertifies process equipment and measurement benches against internationally traceable standards from NPL/NIST and follows test methods compliant with EIA/TIA and I EC standards.

International Standards

- ISO/I EC11801:2002
- ISO/I EC61156-5
- EN50173-1:2002
- EN50288-2-1
- ANSI/TIA/EIA568B.2:2002