



MPOptimate® Trunk Cable, 24 fiber, MPO female, OM4, straight, 15 m

OBSOLETE

Replaced By:

AJX2P2PBF

OM4 MPO24 (female) to MPO24 (female), Fiber Trunk Cable Assembly, 24-Fiber, Method A, Low Smoke Zero Halogen

Product Classification

Regional Availability	Asia Australia/New Zealand China EMEA Europe India
Portfolio	NETCONNECT®
Product Type	Fiber trunk cable assembly
Product Brand	MPOptimate®

General Specifications

Color, boot A	Red
Color, boot B	Red
Color, connector A	Mustard
Color, connector B	Mustard
Connector A, quantity	1
Connector B, quantity	1
Interface, Connector A	MPO-24/UPC Female
Interface Feature, connector A	24-Fiber
Interface, Connector B	MPO-24/UPC Female
Interface Feature, connector B	24-Fiber
Jacket Color	Aqua
Polarity	Pairs, straight
Total Fibers, quantity	24

1-2160608-5

Dimensions

Cord Length	15 m 49.213 ft
Diameter Over Jacket	7.5 mm 0.295 in

Optical Specifications

Fiber Mode	Multimode
Fiber Type	OM4
Insertion Loss, maximum, connector A	0.25 dB
Insertion Loss, maximum, connector B	0.25 dB
Return Loss, minimum, connector A	28 dB
Return Loss, minimum, connector B	28 dB

Environmental Specifications

Environmental Space	Low Smoke Zero Halogen (LSZH)
----------------------------	-------------------------------

Packaging and Weights

Packaging quantity	1
---------------------------	---

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant/Exempted

