


Modular Ultra High Density Panels

These panels are designed to accommodate Base-8 and Base-12 variety solutions in a high density and new generation structure. The modular construction combines highest port density with ease of installation. A maximum of 144 LC connectors can be connected on one height unit.




Features

- Modular structure with many different variations
- Configurable tray structure for Base-8 and Base-12 topologies
- Patented Rail Design
- In 1U 144 LC connector capacity
- 3 individually sliding trays per 1U for maximum flexibility during operation and installation
- Patch cord management for each individual tray
- Labelling front for module identification
- Sliding and extracting the modules of the trays for better access to cables during installation
- Modules can be removed and installed from the front and rear side of the trays





Dimensions








Different Backbone Design Options



Base-8 Cassette Module



Base-12 Cassette Module






Practical Benefits

Sliding Tray Lock & Release Arm (Patent Pending)




Tray Move-Out Lock Releasing (Patent Pending)



Front Cable Guides



Rear Organizer



Order Coding

| | |
|-----------------------|---|
| PAN-UHD-1U-B12-BLK-NN | 19" 1U G-Connect UHD Panel, Black, 12 Module Capacity, Base-12 |
| PAN-UHD-1U-REAR-ORG | 19" 1U G-Connect UHD Panel Rear Organizer, Black |
| PAN-UHD-1U-FRONT-GUI | 19" 1U G-Connect UHD Panel Left/Right Front Cable Management Guides |