

## Data sheet

**Keystone 19 inch module frame 1RU 24 port angled  
black unequipped, shielded**

Page 1/3


P/N  
130926A0029KE  
EAN 4251122186059

2018-20-02

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- Keystone 19 inch module frame 1RU 24 port
- angled, unequipped, shielded
- for 24 individual modules, Keystone design
- module frame front made of powder-coated steel
- optimized for 10 GE when combined with UTP Cat.6<sub>A</sub> modules
- angled port openings, ports 1 to 12 angled by about 30° to the right, ports 13 to 24 angled by about 30° to the left
- module support made of galvanized sheet steel
- additional strain relief possible by cable ties on module support
- grounding screw with lock washer
- 40 cm grounding cable included
- all fully shielded modules are interconnected by the module frame
- variants: black or gray



## Data sheet

Page 2/3

## Keystone 19 inch module frame 1RU 24 port angeled black unequipped, shielded

P/N  
130926A0029KE  
EAN 4251122186059

2018-20-02

### Technical Data

#### General Data

Fields of application	Data center
Mounting style	1RU
Shielding	shielded
Color	black
Dimensions	
Dimension (L x W x H)	90.80 x 482.40 x 44.45 mm
Dimension (L x W x H)	3.575 x 18.992 x 1.75 in.
Inches	19 inches
Height unit	1RU
Labeling option	printed numbers

#### Connections/interfaces

Number of ports interface 1	24
Number of equipped ports interface 1	0
Number of ports interface 2	24
Number of ports interface 2 equipped	0
Ground connection	Grounding screw with lock washer

#### Mechanical characteristics

Cut-out	Keystone
strain relief	cable tie

#### Materials and material properties

Material - Housing	steel
Material - Housing finish	powder-coated

#### Approvals

RoHS	compliant
------	-----------

#### Classifications

ETIM 6.0	EC001128
----------	----------



# P | Cabling

## Data sheet

Page 3/3

## Keystone 19 inch module frame 1RU 24 port angled black unequipped, shielded

P/N

130926A0029KE

EAN 4251122186059

2018-20-02

## Illustrations

### Dimensional drawing

