

Data sheet

OpDAT fix patch panel for 24x SC-D/LC-Q/ST-D, unequipped

Page 1/6

P/N

150250B200-E


EAN 4250184125006

2018-05-03

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- 19 inch 1RU fiber optic patch panel for fixed installation
- unequipped
- light aluminum construction with steel sheet front plate painted (gray or black)
- removable front plate for easy adapter mounting
- screwed on cover for easy access during service work
- several possibilities for cable entry on the back (fastening with PG13.5, PG16 and PG21 or M20 and M25)

variants:

24x LC-D

24x SC-D

24x E2000-D

matching cutouts

LC-D, SC-S, E2000-S

SC-D, LC-Q, ST-D

E2000-D



Data sheet

Page 2/6

OpDAT fix patch panel for 24xSC-D/LC-Q/ST-D, unequipped

P/N

150250B200-E

EAN 4250184125006

2018-05-03

Technical Data

General Data

Fields of application

Office
Data center
patch panel

Design

Mounting style

1RU

Color

gray

Dimensions

Dimension (L x W x H)

242.50 x 482.60 x 44.45 mm

Dimension (L x W x H)

9.547 x 19.00 x 1.75 in.

Inches

19 inches

Height unit

1RU

Installation depth

240 mm

Installation depth

9.449 in.

Labeling option

printed numbers

Connections/interfaces

Number of ports interface 1

24

Number of equipped ports interface 1

0

Number of ports interface 2

24

Number of ports interface 2 equipped

0

Cable access/outlet

straight from the left and right on the rear

Mechanical characteristics

Cut-out

SC-D, LC-Q, ST-D

Materials and material properties

Material - Housing

Al (Aluminium)

Material - Front cover

sheet steel

Material - Cover

Al (Aluminium)

Environmental conditions

Temperature (min. - max.)

Temperature - Storage °C

-40 - 70 °C

Temperature - Storage °F

-40 - 158 °F

Temperature - Operating °C

-40 - 70 °C

Temperature - Operating °F

-40 - 158 °F



OpDAT fix patch panel for 24xSC-D/LC-Q/ST-D, unequipped

P/N

150250B200-E

EAN 4250184125006

2018-05-03

Technical Data

Approvals

RoHS	compliant
------	-----------

Classifications

ETIM 5.0	EC001130
----------	----------

ETIM 6.0	EC001130
----------	----------

Packing details

Type of packaging	1 pc(s) / box
-------------------	---------------

Packaging unit - Weight (gram)	1400.00 g
--------------------------------	-----------

Packaging unit - Weight (pound)	3.09 lb
---------------------------------	---------

Packaging dimension (W x H x D)	580.00 x 405.00 x 70.00 mm
---------------------------------	----------------------------

Packaging dimension (W x H x D)	22.835 x 15.945 x 2.756 in.
---------------------------------	-----------------------------



OpDAT fix patch panel for 24xSC-D/LC-Q/ST-D, unequipped

P/N

150250B200-E

EAN 4250184125006

2018-05-03

Accessories

P/N	Designation
15090051-I	OpDAT ST-D adapter MM (ceramic, metallike)
15090052-I	OpDAT SC-D adapter OM2 (metallike)
15090053-I	OpDAT ST-D/SC-D adapter MM (ceramic, metallike)
1509010000-E	OpDAT splice tray for 12 splices unequipped
15090071-I	OpDAT LC-Q adapter OS2 (blue)
150900C2-I	OpDAT SC-D Kupplung MM (Ph-Br, metallisch)
150900D2-I	OpDAT SC-D adapter OS2 (metallike+blue)
15090041-I	OpDAT ST-D Kupplung MM (Ph-Br, metallisch)
150900C3-I	OpDAT SC-D/ST-D Kupplung MM (Ph-Br, metallisch)
15090072-I	OpDAT LC-Q Kupplung MM (Ph-Br, beige)
150900D3-I	OpDAT ST-D/SC-D adapter OS2 (metallike)
1509007A-I	OpDAT LC-Q APC adapter OS2 (green)
15090078-I	OpDAT LC-Q adapter OM3 (aqua)
15090079-I	OpDAT LC-Q adapter OM4 (violet)
150900BA-I	OpDAT SC-D adapter OM3 (aqua)
150900BB-I	OpDAT SC-D adapter OM4 (violet)
150900B2-I	OpDAT SC-D adapter OM2 (beige)
150900E2-I	OpDAT SC-D adapter OS2 (blue)
150900F2-I	OpDAT SC-D APC adapter OS2 (green)
150922EO00-E	OpDAT vorkonfektionierte Spleißkassette 12xSC PC OM2 mit Crimpspleißschutz
150925EO00-E	OpDAT vorkonfektionierte Spleißkassette 12xSC PC OM3 mit Crimpspleißschutz
150929EO00-E	OpDAT vorkonfektionierte Spleißkassette 12xSC UPC OS2 mit Crimpspleißschutz
150900D4-I	OpDAT SC-D APC adapter OS2 (metallike+green)
15090052-30	OpDAT SC-D adapter OM2 (metallike) - 30 pieces
15090071-30	OpDAT LC-Q adapter OS2 (blue) - 30 pieces
15090078-30	OpDAT LC-Q adapter OM3 (aqua) - 30 pieces
15090079-30	OpDAT LC-Q adapter OM4 (violet) - 30 pieces
1509007A-30	OpDAT LC-Q APC adapter OS2 (green) - 30 pieces
150900B2-30	OpDAT SC-D adapter OM2 (beige) - 30 pieces
150900BA-30	OpDAT SC-D adapter OM3 (aqua) - 30 pieces
150900BB-30	OpDAT SC-D adapter OM4 (violet) - 30 pieces
150900D2-30	OpDAT SC-D adapter OS2 (metallike+blue) - 30 pieces
150900D3-30	OpDAT ST-D/SC-D adapter OS2 (metallike) - 30 pieces



Data sheet

Page 5/6

OpDAT fix patch panel for 24xSC-D/LC-Q/ST-D, unequipped

P/N

150250B200-E

EAN 4250184125006

2018-05-03

Accessories

150900D4-30	OpDAT SC-D APC adapter OS2 (metallike+green)- 30 pieces
150900E2-30	OpDAT SC-D adapter OS2 (blue) - 30 pieces
150900F2-30	OpDAT SC-D APC adapter OS2 (green) - 30 pieces



Illustrations

Dimensional drawing

